

LYON SHOP EQUIPMENT

GERARD M. DENICE

LYON METAL PRODUCTS, INCORPORATED
PHILADELPHIA 7, PENNSYLVANIA
514 CITY CENTRE BUILDING
SPRUCE 4607-8

- ★ SHOP EQUIPMENT
- ★ STEELART SHELVING
- ★ STEEL LOCKERS
- ★ VOCATIONAL EQUIPMENT

LYON

BENCH LEGS



Lyon Steel Bench Legs provide support for:

- Wood and steel top benches
- Wood tables
- Machine mountings
- Bulk storage platforms

Heavy "T" formed steel upright members, 2 $\frac{5}{8}$ " wide by 2" deep, and cross members riveted and welded together. Top and bottom cross members

are punched every 3 inches on both edges for ready attachment of the top and shelf. Upright members are punched for attaching wood or steel stringers.


Exclusive features of Lyon Bench Legs are: (1) both riveted and welded assembly, (2) heavy steel sections, (3) maximum rigidity, (4) reversible front to rear, (5) no "flared" foot tripping hazard, and (6) 24 square inches of floor bearing surface per leg.



LEFT: Lyon Steel Bench leg used with wood top, stringer and shelf.

SIZES		
No. 2401-11	28" deep	32 $\frac{1}{4}$ " high
No. 2401-12	34" deep	32 $\frac{1}{4}$ " high


Legs are finished in tough, Lyon Green baked enamel. Shipped completely assembled.



ABOVE: A single bench leg is used for two adjoining wood tops. Steel tops may be joined the same way.

WORK BENCHES

Typical of the engineering and planning built into ALL Lyon Products is the Lyon Work Bench. Research has developed what is necessary to do the job and Lyon has proved itself through 40 years of service.



Lyon heavy duty steel benches are suitable for every type of bench work and ideal for factories, vocational schools, the home workshop and as packing benches. In the factory they are used for (1) light and heavy machine work, (2) on production lines, (3) for die making, (4) on assembly lines, (5) in the toolroom, (6) for layout and cutting work.

Advantages of Lyon Steel Benches are many but these are most important:


- Longer life—the steel bench top improves with use.
- Top will not crack, splinter, or gouge, reducing employee injuries and bench replacements.
- Steel top will not become oil soaked—reducing fire hazards.
- Entire bench is easily cleaned.
- There is no maintenance cost.

Copyright 1943 Lyon Metal Products, Incorporated


CONSTRUCTION DETAILS

Lyon Bench Tops are fastened to the legs through 2"x4" specially designed attachment blocks to provide a cushion and to deaden sound. Channel shaped steel stringer assures rigidity when no shelf is used. Edges of the heavy steel top are flanged down 1¼" and back 1½" on both front and rear edges for greater strength and freedom from rough edges. Finished in Lyon Green baked enamel. Shipped knocked down.


LYON BENCH MODELS AND SIZES




Top and Legs Only
No. 100 — 28" Deep
No. 200 — 34" Deep



With Full Depth Shelf
No. 2100 — 28" Deep
No. 2200 — 34" Deep




With Half Depth Shelf
No. 4100 — 28" Deep
No. 4200 — 34" Deep




With Foot Rest
No. 6100 — 28" Deep
No. 6200 — 34" Deep




With Back Stop
and Two End Stops
No. 1100 — 28" Deep
No. 1200 — 34" Deep



With Full Depth Shelf,
Back Stop and Two End Stops
No. 3100 — 28" Deep
No. 3200 — 34" Deep



With Half Depth Shelf,
Back Stop and Two End Stops
No. 5100 — 28" Deep
No. 5200 — 34" Deep



With Foot Rest,
Back Stop and Two End Stops
No. 7100 — 28" Deep
No. 7200 — 34" Deep

16 sizes and 144 assemblies. Available from stock in 28" and 34" depths; and 36", 42", 48", 60", 72", 84", 96", 108", and 120" lengths. All benches 34"

Order benches by number and specify length desired.

high. BENCHES 96" LONG AND OVER FURNISHED WITH THREE LEGS. Shipped knocked down. (See page three).

PORTABLE WORK BENCHES

A time-saver for maintenance men. Also meets the demands of flexible production lines.


The stationary, semi-steel wheel casters on one end and wheelbarrow type handles on the other make it possible to take this Lyon Bench right to the job. Handles slide under the bench when not in use. In addition to the uses for the standard bench, the portable bench is ideal for (1) millwrights and maintenance men, (2) mobile production and assembly lines, and (3) inspectors.

Portable benches available in 28" depths and 36", 42", 48", 60", 72", and 84" lengths only. When ordering add the letter "P" to the number to designate that the Portable Bench is desired.

Example: A No. 100 bench in a portable model would become a No. 100-P. Finished in Lyon Green baked enamel. Shipped knocked down.



No. 3100-P Bench with
No. 480-15 Drawer



- Keep tools, tool box, and parts off the working surface but within easy reach.

BENCH RISERS


Consists of one piece top and two standards. Storage surface of riser (12" above bench top surface) is 10½" deep with 2" back stop. May be had in five and six foot lengths. Riser bolts to bench top. Finished in Green baked enamel. Shipped with uprights detached.

No. 2410-11—60" long. No. 2410-12—72" long.

- Riser is rigidly braced and backstop keeps equipment from falling off.



BENCH ACCESSORY EQUIPMENT



The basic Lyon Steel Work Bench consists of legs, top and channel type stringer.

The accessory parts shown on this page are used to adapt the basic Lyon Bench to individual requirements. Each has been designed to fill a need as indicated by long experience. All accessories finished in Lyon Green baked enamel.

- 1** The Channel type stringer, 5" wide with 1" flange at top and bottom, is part of the basic bench unless shelves are ordered. When shelves are used, stringer and shelf is made in ONE PIECE.

- 2** Heavy gauge half shelf and rib-reinforced stringer are made from one piece of steel—an exclusive Lyon feature. Attached stringer provides backstop for shelf. Shelf bolts to leg cross member and stringer bolts to back upright member. Bench top and shelves are same length.

- 3** Heavy gauge full-depth shelf and rib-reinforced stringer are made from one piece of steel—an exclusive Lyon feature. Attached stringer provides backstop for shelf. Shelf bolts to leg cross member. Bench top and shelves are same length.

- 4** Back stop extends 3" above bench top surface. Bottom is flanged to fit under bench top and top edge is folded back into a 1/2" flange for strength and finished appearance. End stops taper from 3" high at rear to 1 1/2" at the front.

- 5** Illustration shows regular bench drawer which is available in 4 sizes. Two and three drawer units available. (See next page for details).

- 6** Formed steel tube 1 5/8" in diameter bolts to lower cross members of bench legs. Available in all regular bench lengths.

1 CHANNEL TYPE STRINGER



2 HALF DEPTH SHELF




3 FULL DEPTH SHELF



4 BACK AND END STOPS




5 BENCH DRAWER



6 FOOT REST




DRAWERS & DRAWER UNITS



Drawer with steel top for attachment to steel bench. Note adjustable attachment angles for depth.

Lyon Bench Drawers withstand hard use and abuse and slides permit heavily loaded drawers to be moved in and out easily. Completely welded construction. Finished in Lyon Green baked enamel. Available with padlock attachment (padlocks not furnished) or flat key lock. Drawer trays and flat key locks extra and must be specified.



Single Drawers

For Wood Benches and Tool Stands

No.	W.	D.	H.
480-11	12"	16"	4"
480-12	12"	22"	5"
480-13	14"	24"	5"
480-14	20"	20"	6"

For Lyon Steel Work Benches

No.	
480-15	
480-16	
480-17	
480-18	



Drawer with slides for attachment to tool stand and wood top benches.

TWO DRAWER UNIT

For two shift operations the two drawer unit can be furnished on Lyon Steel Benches, 24x24x34 Tool Stands, Shop Desks and used under counters. Attached to wood top benches with wood screws. Shipped set up.

No. 2375-11—21 $\frac{3}{8}$ " wide, 19 $\frac{3}{4}$ " deep, 13 $\frac{1}{8}$ " high.

Note: Adjustable attachment angles furnished.



THREE DRAWER UNIT



Efficient, individual storage for workers on three-shift operations. No. 2375-12—21 $\frac{3}{8}$ " wide, 19 $\frac{3}{4}$ " deep, 20 $\frac{1}{8}$ " high.

Note: Adjustable attachment angles furnished.

Drawer trays and flat key locks extra and must be specified.

Left:

Three Drawer Unit on Lyon Bench with full depth shelf.

Right:

Three Drawer Unit on Lyon 24x24x34 Tool Stand.

Two Drawer Unit attached to Lyon Standing Type Desk.



WELDING BENCHES

ARC WELDING BENCH


(Patent Applied For)

Bench surface made of 10 gauge steel, is 33" above the floor. Shelf back stop and four 32" dividers form four compartments 3" wide for welding rods. Front of shelf is handy for welding blocks. May be equipped with same single drawer as used on Lyon Work Benches.

Legs and end cross members are welded into a single unit for easy erection and positive rigidity. Front and back cross members and center brace are bolted to the leg sections. Shield 35" high sets inside flange and bolts securely. Bench top fits inside shield — resting on the bottom flange. All edges of the shield are hemmed and top edge is reinforced with an angle frame.

Finished in Lyon Green baked enamel. Shipped knocked down.

No. 2300-12 Bench—37" wide, 28" deep, 66½" high overall.



GAS WELDING BENCH


Patent No. 2310904

The top of the Lyon Gas Welding Bench consists of the outside frame and 34½" x 11¼" rectangular frame (as illustrated below) made of 2" steel angle bolted between the end uprights, making room for twenty-four 9" x 4½" x 2½" standard fire bricks (bricks not furnished — available at local yards). Shelf has 4 compartments 3" wide for welding rods. May be equipped with same single drawer as used on Lyon Work Benches. Finished in Lyon Green baked enamel. Shipped knocked down.

No. 2300-11 Bench—37" wide, 28" deep, 34" high.

- ★ Legs and end cross members are welded into a single unit for easy erection and positive rigidity.
- ★ Shelf equipped with compartments for welding rods — space for welding blocks.
- ★ Welded angle frame bolted between top cross members increases strength.

Closeup showing location of angle steel center frame. Center row of bricks rests on center frame, outside rows rest on center frame and front and back cross members.





ASSEMBLER'S BENCH BIN

(Patent Applied For)

Only one square foot of bench area is required by the Lyon Assembler's Bench Bin to store generous supplies of 12 different parts. Hoppers (filled from the top) are self-feeding and keep parts right at the fingertips without poking and prying. No scattered, misplaced, mixed or dirty parts.

SIZE

No. 2963—16 $\frac{1}{4}$ " wide, 9 $\frac{1}{4}$ " deep, 15" high—overall. Hopper front openings are each 4" wide and 3" high. Loading compartments at top are 4" wide and 3" deep.



Uses of the Bench Bin include: (1) bench assembly lines, (2) in stockrooms for issuing small parts, and (3) as retail counter merchandiser. Cover is attached with a continuous "piano" hinge and back flange acts as a stop when loading. Finished in Lyon Green baked enamel.


TOOL BOXES

An extra heavy duty box that protects tools and furnishes a practical carrying case. Full-length piano type hinge. Strong padlock attachment. Finished in Lyon Green baked enamel. Tray is extra, must be specified.

Handy for carrying tools to the job. One piece construction. Ends overlap sides and are clamped under $\frac{1}{2}$ " hem in addition to being welded. Handle is riveted in place. Finished in Lyon Green baked enamel.

TOOL TRAY

No. 230-13



SIZE

Box Number	L.	D.	H.	Tray Number
484-11	18"	6"	6"	474-11
484-12	19"	7"	6 $\frac{1}{2}$ "	474-12
484-13	22"	7"	6"	474-13

SPECIFICATIONS

17 $\frac{1}{2}$ " long, 8 $\frac{1}{2}$ " wide, 4 $\frac{1}{2}$ " high — overall height including handle is 8 $\frac{1}{2}$ ".

DRAWING TABLE


No. 2330-11



The Lyon Steel Drawing Table is designed to accommodate 4 drawing classes per day. The student puts away his drawing materials at the table, reducing between-class traffic. Design and dimensions have been developed by actual tests under the supervision of practical school authorities.

Bottom opening in locker provides storage for standard drawing boards, up to and including 20" x 24½". Shelf at top is used for drawing instruments and supplies. Padlock hasps permit doors to be securely locked. Lockers numbered from one to four. Finished in Lyon Green baked enamel.

Flange on front edge holds drawing board in position. Piano type hinge running full width of top assures continuous perfect alignment and ease of operation.




Adjustment strips on back corners permit top to be used perfectly flat or with back edge as much as 8" higher than the front. Adjustment holes on one inch centers. Wing screw adjustment.

SPECIFICATIONS


Table Top Surface: 45½" wide, 26" deep.

Locker Size (overall): 42½" wide, 24" deep, 36" high.

Lockers (each): 4½" wide, 24" deep, 32⅞" high. (Opening for drawing board 26½" high).



WOOD WORKING BENCH



The Lyon Wood Working Bench offers Vocational Schools and Wood Shops three definite advantages:

1. Systematic storage under the bench and out of the way.
2. Tools and equipment are used and stored at one location.
3. Eliminates congestion at storeroom.

Wood Working Bench base is absolutely stable. The bench illustrated has working space for four persons (one at each corner) and storage space for 12 persons to accommodate three classes or shifts per day. Available for use against the wall with lockers on one side only. Springs close doors auto-

matically. Doors equipped with padlock attachment (padlocks not furnished). Built-in flat key locks are extra and must be specified. Vises not furnished by Lyon.

Locker openings are 12" wide, 21" deep, and 15" high. Overall height is 30" plus wood top (2 1/4"). Lockers finished in Lyon Green baked enamel. Bench may be shipped set up or knocked down.


SPECIFICATIONS

No. 8429-11—Set Up.

No. 8429-12—Knocked Down (Single Face) 36" wide, 21" deep, 30" high. Wood top: 64" wide, 28 1/2" deep, 2 1/4" thick.

No. 8429-13—Set Up.

No. 8429-14—Knocked Down (Double Face) 36" wide, 42" deep, 30" high. Wood top: 64" wide, 50" deep, 2 1/4" thick.





SHEET METAL WORK BENCH

The Lyon Sheet Metal Work Bench furnishes a large SOLID working area and shelf storage area for metal sheets and stakes. Heavy duty top, 60" wide and 40" deep, is mounted on Lyon Bench Legs which follow the same design as the legs used on Lyon Work Benches and described on page 2. Stake Plates 8" x 30" are mounted flush on both sides of the bench and 1 1/2" x 2" x 1/8" angles protect the edges of the top. Wood top is made of hard maple or birch with natural finish.


Leg uprights and cross members are riveted and welded into a single unit. Shelves are bolted to cross members and stringer on bottom shelf is bolted to the back leg uprights for continued rigidity. Steel parts are finished in Lyon Green baked enamel. Shipped knocked down.

SPECIFICATIONS

Bench No. 2395-11—60" wide, 40" deep, 34 1/2" high. Wood top (maple or birch) is 2 1/4" thick. Openings between each shelf and flange of the shelf above is 7".




STEEL UTILITY TABLES



Lyon Steel Utility Tables are designed for "medium duty" requirements such as classrooms, shipping and packaging departments, light assembly work, mailing departments, receiving departments, shop offices and cafeterias. May be had with steel top or with linoleum top and brass binding strips. Sturdily constructed with 2 1/8" x 2 1/8" angle steel legs. Finished in Lyon Green baked enamel. Shipped knocked down.

No. 1850 TABLES

Two drawers—grooved key locks are extra and must be specified. Available with steel or linoleum top.



SIZES

No.	Top	Length	Depth	Height
1850- 523	Steel	60"	30"	30"
1850-1523	Linoleum	60"	30"	30"
1850- 527	Steel	72"	30"	30"
1850-1527	Linoleum	72"	30"	30"
1823- 523	Steel	60"	30"	30"
1823-1523	Linoleum	60"	30"	30"
1823- 527	Steel	72"	30"	30"
1823-1527	Linoleum	72"	30"	30"

No. 1823 TABLES

No drawers. Available with steel or linoleum top.


TOOL STANDS



Lyon Tool Stands have many uses in every factory. Most common are:

- Tool and work stands around production machines.
- Mountings for small tools.
- Toolroom.
- Parts containers for assembly lines.
- Part and tool transporters for maintenance men.
- Equipment carriers for inspectors.
- Stock picking and transportation.


Drawer can be locked to guard against petty thievery — regularly equipped with padlock hasp (padlock not furnished). Flat key locks extra and must be specified. Stands are sturdily built of heavy gauges and shapes and securely riveted at the factory. Bottom tray has 4 rivets at each corner to withstand vibration. Finished in Lyon Green baked enamel. Shipped set up. Steel Casters are swivel type, wheels are 2 1/2" in diameter with 3/4" tread.




With Top and Bottom Shelf Only
No. 2969-11 24"x24"x34"
No. 2969-12 20"x28"x34"



With Center Shelf
No. 2969-13 24"x24"x37 1/8"
No. 2969-14 20"x28"x37 1/8"



With Top and Bottom Shelf Only and Casters
No. 2969-15 24"x24"x37 1/8"
No. 2969-16 20"x28"x37 1/8"



With Center Shelf and Casters
No. 2969-17 24"x24"x37 1/8"
No. 2969-18 20"x28"x37 1/8"



With Top and Bottom Shelf and Two Drawers
No. 2970-23 24"x24"x34"
(No. 2375-11 Drawer Unit)



With Top and Bottom Shelf, Casters and Two Drawers
No. 2970-24 24"x24"x37 1/8"
(No. 2375-11 Drawer Unit)



With Top and Bottom Shelf and Three Drawers
No. 2970-25 24"x24"x34"
(No. 2375-12 Drawer Unit)



With Top and Bottom Shelf, Casters and Three Drawers
No. 2970-26 24"x24"x37 1/8"
(No. 2375-12 Drawer Unit)



TOOL TOTERS

The Lyon Tool Toter serves the same general purposes as the Lyon Tool Stand. Drawer "stops" prevent accidental removal of drawers and damage to contents. Padlock hasp for locking both drawers at one time—padlock not furnished. Top tray and shelf have 1 1/2" flange. Steel swivel casters are 2 1/2" in diameter with 3/4" tread. Finished in Lyon Green baked enamel. Shipped set up.

SINGLE DRAWER TOTER

Single Drawer Toters are the same as the totter illustrated except that they have only one drawer at the top.

Two Models


- No. 2983-11 (illustrated above) with padlock attachment—no padlock.
- No. 2983-12 Single drawer model with padlock attachment—no padlock.

SIZE

18" wide, 24" deep, 34 1/2" high overall. Drawers 15" wide, 23 1/2" deep, 4 5/8" high.



TOOL CABINET-BENCH



The Lyon Hanging Tool Cabinet may be hung on a wall close to the job. Punched on 1" centers for pegs. Padlock attachment (padlock not furnished). Shelf, tool pegs, and wrench socket tray extra and must be specified.

SIZE

24" wide, 12" deep, 33" high.
No. 2973—Cabinet (no accessories).
No. 903-224—2½" Tool Peg.
No. 2978-13—Shelf.
No. 2976-13 — Socket Tray (2" wide, 10½" long, 1½" high).


The Lyon Tool Cabinet-Bench at the right is a convenient piece of equipment for it furnishes a working surface as well as space to lock up valuable tools, dies, precision instruments, drawings, etc.

Fitted with three stationary shelves in addition to the top and bottom trays—it has 315 square inches of top working area and approximately 1260 square inches of shelf area under lock and key.

Top tray is flanged to prevent material from falling off. May be had with padlock hasp or flat key lock. Finished in green baked enamel. Shipped set up.

SIZES

21¼" wide, 15¼" deep, 34" high. (With casters 37⅞" high).
No. 2144-11 with padlock attachment (lock not furnished).
No. 2144-12 with flat key lock.
No. 2144-13 with padlock attachment (padlock not furnished) and casters.
No. 2144-14 with flat key lock and casters.



The Lyon Tool Cabinet showing location of shelves.


MACHINE TOOL CABINET-BENCH




SPECIFICATIONS

No. 2345-11—36" wide, 24" deep, 34" high (37" high including back stop). Bottom shelf 7½" above floor. With padlock attachment.
No. 2345-12—Same Cabinet with built-in flat key lock.

The heavy steel top on the Lyon Machine Tool Cabinet-Bench makes a sturdy mounting for small grinders, and vises. Bottom shelf and adjustable center shelf furnish 12 square feet of storage area protected by double swinging doors with 3-point locking device. Center shelf is adjustable on 1½" centers. Cadmium plated handle, padlock attachment (padlock not furnished) or built-in flat key lock. Finished in green baked enamel. Shipped set up.



CABINETS




STORAGE CABINETS

Steelart Storage Cabinets are equipped with four flat shelves, adjustable on 2" centers. For extra heavy storage use the cabinet shelf reinforcements described at the bottom of this page.

SIZES

Number	Width	Depth	Height
F-910	36"	18"	78"
F-911	36"	24"	78"

WARDROBE




Lyon Steelart Wardrobe Cabinets are equipped with one wardrobe shelf and a coat rod running the full width of the cabinet. Will accommodate 10 to 15 heavy coats.

SIZES

Number	Width	Depth	Height
F-914	36"	18"	78"
F-915	36"	24"	78"

COMBINATION



Combination wardrobe and storage cabinet with one wardrobe shelf and coat rod; partition, and four half shelves adjustable on 2" centers.

SIZES

Number	Width	Depth	Height
F-918	36"	18"	78"
F-919	36"	24"	78"

Lyon Steelart Cabinets radiate "modern styling" because of their streamlined design. Front edges are rounded, and exclusive construction eliminates bolt heads on the front and sides. Tamper-proof, grooved key lock. Attractive chrome handle and 3-point locking device. Finished in Lyon Green baked enamel. Shipped set up.

Extra Cabinet Shelves

For F-910 & F-911 Cabinets

No. 1322-13—36" x 18"

No. 1322-14—36" x 24"

For F-914 & F-915 Cabinets

No. 1322-113—36" x 18"

No. 1322-114—36" x 24"

For F-918 & F-919 Cabinets

No. 1333-11—18" x 18"

No. 1333-12—18" x 24"

For F-920, F-921 & F-922 Cabinets

No. 1322-11—24" x 18"

No. 1322-12—24" x 24"

For F-924, F-926 & F-927 Cabinets

No. 1322-111—24" x 18"

No. 1322-112—24" x 24"



SINGLE DOOR

Janitor's Cabinet — (illustrated) broom and mop compartment, one full shelf, four 3/4 shelves.

No. F-935—24" wide, 24" deep, 78" high.


Storage—4 adjustable full width shelves.

	W.	D.	H.
No. F-920—24"	18"	18"	66"
No. F-921—24"	18"	18"	78"
No. F-922—24"	24"	24"	78"

Wardrobe—one full width wardrobe shelf and coat rod.

	W.	D.	H.
No. F-924—24"	18"	18"	66"
No. F-926—24"	18"	18"	78"
No. F-927—24"	24"	24"	78"

CABINET SHELF REINFORCEMENTS




Where cabinet shelves are loaded heavily we recommend the use of Lyon Shelf Reinforcements. Reinforcements are "H" shaped with cross piece running lengthwise of the shelf. Uprights of the "H" support the ends of the shelf. May be added to Storage Cabinet shelves at any time.

SIZES

No. 1242A14 for 36" x 18" shelves.
No. 1242A15 for 36" x 24" shelves.

UTILITY CABINETS



500 Series Cabinets are "specials" in price, value, strength and utility. Provide exceptionally compact and safe storage or wardrobe space. Rigid angle steel frame, reinforced doors, 3-point locking device, flat key lock, and attractive handle. Finished in Lyon Green. Shipped set up.

SIZES


No. F-561 Storage Cabinet four adjustable shelves. 24" wide, 18" deep, 64" high—overall. Shelves adjustable on 2" centers.

No. F-564 Wardrobe Cabinet one shelf and coat rod. 24" wide, 18" deep, 64" high—overall.

Extra Shelves

For F-561 Cabinets
No. 8421-P14 — 24" x 18"

For F-564 Cabinets
No. 8421-P13 — 24" x 18"



BLUEPRINT CABINETS

For flat storage of blueprints, drawings, tracings, maps, charts, large papers and photographs.



Cabinet has a rigid frame for continuous perfect alignment of drawers. Patented stop prevents drawers from being accidentally pulled out and spilled, yet permits removal by slight pressure on the automatic catch. May be provided with a large variety of drawer compartments. Finished in Lyon Green baked enamel.

SIZES


Cabinet No.	Width	Depth	Height
2225-11	28"	21 $\frac{3}{4}$ "	17"
2225-12	40"	27 $\frac{3}{4}$ "	17"
2225-13	44"	33 $\frac{3}{4}$ "	17"
2225-14	52 $\frac{1}{8}$ "	40 $\frac{1}{4}$ "	17"

Closed Bases 6" high and Sanitary (leg) Bases 12" high available for all the above sizes.


Cabinets listed have plain drawers—divider arrangements and prices on application.




The drawer stop prevents accidental removal of the drawers but is easily released with the finger.



The hinged paper weight and protecting hood holds papers flat without interfering with their insertion or removal.



Closed Base
6-Inch Height Only



Sanitary Base
12-Inch Height Only

STEEL STOOLS

FOR EVERY REQUIREMENT




Lyon Stools are available in seven heights and 112 models. Basic stools are made entirely of steel and finished in high grade baked enamel for long life and attractive appearance — for every commercial and industrial use. Basic stool has steel seat and steel glide type feet. It may be equipped with accessories shown on next page. Stools 28" and 30" high have two channel braces between the legs.



Basic stool 22" high with steel seat, forged steel glide feet and one channel brace foot rest between the legs. Foot rest is 15" below top of stool.


A 26" stool with durable pressed wood seat applied over the steel seat. This construction makes possible the advantages of a wood seat without sacrificing the strength of the steel seat. Pressed wood seat will not crack, break or splinter. See next page for description.

This 22" stool is equipped with composition casters. Casters do not sacrifice stability — stool will not roll from under a person under normal use but may be readily pushed back when a worker rises. Description on next page.



Basic stool 30" high illustrating two channel cross braces as used on 28" and 30" stools. Top brace is always 15" below the seat to assure a comfortable foot rest position.

This 26" stool is equipped with the No. 95-12 adjustable back and No. 9-280 pressed wood seat. Back may be applied to all stools, with or without wood seat. Description on next page.



EXCLUSIVE LYON FEATURES

1. All welded, non-breakable construction.
2. Made from round edge steel band with no rough edges to snag or tear hose and other clothing.
3. Unusually large, comfortable seat 14" square with rounded corners.
4. Tapered legs insure safety against tipping.
5. 112 models to choose from.
6. Strong channel brace providing a comfortable foot rest located at a uniform distance below seat for all heights.
7. Long life pressed wood seat applied over steel for strength.
8. All accessories interchangeable—may be attached any time to any model.

ORDER BY NUMBER, NAME AND SIZE, GIVING ANY SPECIFIC DETAILS REQUESTED IN PRODUCT DESCRIPTION.

STOOL ACCESSORIES



Here are the accessory parts used to make up the 112 models of Lyon Stools. Stools may be ordered with accessory parts attached, or they may be added at any future time.

No. 95-12—Steel Back—13" x 4½", used on all stools. Attaches to face of steel seat and flanged edge. Back rest adjustment range is from 8" to 10" above seat measured from bottom of back rest. (Seat and back phantomized to show method of attachment and adjustment.)



No. 9-280—Pressed Wood Seat—13⅛" square and ⅝" thick with corners rounded on a 2⅜" radius. Wood seat fits flush with face of steel seat and is held in tension against the slightly dished surface of the steel seat with special flush-head bolts. Pressed wood is tough—has no grain—will not warp, crack, or absorb oil or moisture. Sets back from seat edge to prevent chipping.




Forged steel, glide type foot 1⅝" in diameter as it appears fitted into the curved bottom of the leg. Rounded bottom assures easy sliding without damage to floors.



No. 9-281 Rubber Foot (1⅜" in diameter, 1⅝" high) fits over the regular steel foot. Eliminates metallic sound and slippage. Easily attached or removed.



No. 9-282 Rubber Foot with steel glide impacted in rubber making it easy to slide stool and eliminating metallic sound. Dimensions same as No. 9-281.



No. W558A Caster—attached by removing standard steel foot and inserting No. 53 round peg of caster in base of leg. Caster wheel is 1⅝" in diameter and increases height of stool 2".

(STOOLS SHIPPED BUNDLED—NOT PACKED OR CRATED)

HEIGHTS	STEEL SEATS								PRESSED WOOD SEATS							
	WITHOUT BACK				WITH BACK				WITHOUT BACK				WITH BACK			
	Steel Feet	Rubber Feet	Rubber Feet Steel Glide	Casters	Steel Feet	Rubber Feet	Rubber Feet Steel Glide	Casters	Steel Feet	Rubber Feet	Rubber Feet Steel Glide	Casters	Steel Feet	Rubber Feet	Rubber Feet Steel Glide	Casters
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
18"	No. 18	No. 118	No. 218	No. 318	No. 418	No. 518	No. 618	No. 718	No. 818	No. 918	No. 1018	No. 1118	No. 1218	No. 1318	No. 1418	No. 1518
20"	No. 20	No. 120	No. 220	No. 320	No. 420	No. 520	No. 620	No. 720	No. 820	No. 920	No. 1020	No. 1120	No. 1220	No. 1320	No. 1420	No. 1520
22"	No. 22	No. 122	No. 222	No. 322	No. 422	No. 522	No. 622	No. 722	No. 822	No. 922	No. 1022	No. 1122	No. 1222	No. 1322	No. 1422	No. 1522
24"	No. 24	No. 124	No. 224	No. 324	No. 424	No. 524	No. 624	No. 724	No. 824	No. 924	No. 1024	No. 1124	No. 1224	No. 1324	No. 1424	No. 1524
26"	No. 26	No. 126	No. 226	No. 326	No. 426	No. 526	No. 626	No. 726	No. 826	No. 926	No. 1026	No. 1126	No. 1226	No. 1326	No. 1426	No. 1526
28"	No. 28	No. 128	No. 228	No. 328	No. 428	No. 528	No. 628	No. 728	No. 828	No. 928	No. 1028	No. 1128	No. 1228	No. 1328	No. 1428	No. 1528
30"	No. 30	No. 130	No. 230	No. 330	No. 430	No. 530	No. 630	No. 730	No. 830	No. 930	No. 1030	No. 1130	No. 1230	No. 1330	No. 1430	No. 1530

COLORS: GREEN is standard (see price list). BROWN available in manufacturing schedule at no extra cost. OTHER COLORS in manufacturing schedule—prices on application.

SHOP DESKS



Lyon Steel Desks
are used by:
SHOP FOREMEN
SHIPPING CLERKS
STOCK CLERKS
EMPLOYMENT CLERKS
TIMEKEEPERS
RECEIVING CLERKS
PRODUCTION CLERKS
SHOP CLERKS
DISPATCHERS
INSPECTORS
WATCHMEN

STANDING TYPE
No. 2131-12

The all-welded steel construction provides a smooth, firm surface on which to work and makes it possible to keep important papers under lock and key. Drawer (24" x 28" x 3 1/2") has roller bearing slides, brass handles and built-in lock. Two hooks on right side. Use Lyon 28" or 30" stool.

SPECIFICATIONS

34 1/2" wide, 30" deep, 53" high (overall), 43" high at front of sloping top. Has half-shelf adjustable in height on 1 1/2" centers.



CABINET DESK

The Lyon Cabinet Desk is the same as the shop desk described above except that the desk top is mounted on a cabinet type base.

Cabinet doors are equipped with a three-point locking device, flat key lock, and cadmium plated handle. Opening between bottom shelf and desk front is 26" high and 29 1/4" wide with doors open wide. Center shelf is 14" above bottom shelf.

Front legs and cross members are welded into one unit. Door hinges riveted to legs. Back legs and panel are one welded piece. Side panels, shelves and desk are bolted to front and back sections. Finished in Lyon Green baked enamel. Shipped set up.

SPECIFICATIONS

No. 2131-16—Cabinet Desk—34 1/2" wide, 30" deep, 53" high (overall), 43" high at front of desk. Cabinet is 32" wide and 28" deep.




DESK-HIGH TYPE
No. 2131-13

Same as Standing Type Desk except that it is just the right height to work while sitting on a standard height office chair or 18" Lyon Stool.

SPECIFICATIONS

34 1/2" wide, 30" deep, 41" high (overall), 31" high at front of desk.



COUNTER TYPE No. 2131-14


When used on a counter or bench, top of desk is at convenient height to work while standing or seated on a stool.

SPECIFICATIONS

34 1/2" wide, 30" deep, 17" high (overall).

WALL DESKS

(Patent Applied For)




Lyon Wall Desk in use.


The Lyon Wall Desk may be attached at any handy wall space, building column, or the end of a rack of shelving. Used by inspectors, timekeepers and checkers.

Has a $24\frac{5}{8}$ " x 14" working surface, large storage compartment and three open compartments across the back of the desk. Equipped with a pencil tray on each side. Grooved key lock with two keys.

Finished in Lyon Green baked enamel. Shipped set up with supporting brackets detached.



No. 2131-17 Wall Desk— $24\frac{5}{8}$ " wide, $23\frac{1}{2}$ " deep, 13" high, plus attachment bracket which is 12" high. Attachment bracket, made of $\frac{7}{8}$ " x $\frac{7}{8}$ " angle steel, bolts to desk bottom.



PORTABLE DESK

No. 2131-15

The Lyon Portable Desk has all the features and uses of the regular Standing Type Desk (No. 2131-12) plus the advantage that it can be taken right to the job. The portable feature makes the desk especially useful to inspectors and time study men who are required to carry papers, books, rules, etc. from job to job.

Casters are swivel type with composition wheels 3" in diameter with $\frac{3}{4}$ " tread. Front casters (nearest user) are equipped with locking lever to hold desk stationary at the job. Brakes applied or released by slight foot pressure.

SIZE

$34\frac{1}{2}$ " wide, 30" deep, 53" high (overall), 43" high at front.

SORTING RACK

A jack-of-all-trades is the Lyon Adjustable Sorting Rack which is used for:


MAIL SORTING
SHIPPING PAPERS
JOB TICKETS
TEMPORARY FILING

CATALOG STORAGE
MAGAZINE STORAGE
RECORD STORAGE
PAPERS AND BOOKS

SANDPAPER STORAGE
EMERY PAPER STORAGE
PAPER PATTERN STORAGE
SMALL TOOL STORAGE


SIZE

No. 2285-1— $34\frac{1}{4}$ " wide, $11\frac{1}{2}$ " deep, $10\frac{5}{8}$ " high. Shelf width $10\frac{13}{16}$ ". Top rack (in illustration) raised at one end to show how they stack securely.



BAR RACKS

BAR RACK SHELVES




Shelves are used on single or double face rack arms when long items must be stored on a flat surface or when pieces are too short to rest on arms. Shelves reinforced front and rear.

SIZES

No. 1796-121—36" x 12"
No. 1796-125—48" x 12"


SEPARATOR PEG

No. 1795-16



Hexagon separator pegs may be attached anywhere on the arms to keep articles separated. Pegs 4" high, readily adjusted.

SINGLE FACE BAR RACKS



Each section 79 $\frac{5}{16}$ " high x 48" wide.

Arms used on one side only so rack can be placed against wall. Otherwise this rack is like the double face type above and can be had in the same lengths and heights.

Bars — tubes — shapes — rods — posts — or any bulk flat storage can be taken care of better with the Lyon Bar Rack because:

1. Material is easily selected, several types may be segregated on one arm. Arms are horizontal for most efficient use.
2. Wide aisles are not necessary for removing long material from rack as required when pieces are stored from the end or vertically.
3. No upright interference for loading by hand or crane.
4. Arms are adjustable on 3" centers with spacing as close as 9" between arms.
5. Aisles are always free for trucks or traffic.

Available in double face and single face models for center floor and against wall use. Finished in Lyon Green baked enamel. Shipped knocked down.

SIZES

DOUBLE FACE 79 $\frac{5}{16}$ " HIGH

- No. 28-36—First Section, 36" wide, (2 uprights, 28 arms).
No. 28-236—Additional 36" wide, (1 upright, 14 arms).
No. 28-48—First Section, 48" wide, (2 uprights, 28 arms).
No. 28-248—Additional 48" wide, (1 upright, 14 arms).

DOUBLE FACE 97 $\frac{5}{16}$ " HIGH


- No. 28-1036—First Section, 36" wide, (2 uprights, 28 arms).
No. 28-1236—Additional 36" wide, (1 upright, 14 arms).
No. 28-1048—First Section, 48" wide, (2 uprights, 28 arms).
No. 28-1248—Additional 48" wide, (1 upright, 14 arms).

SINGLE FACE 79 $\frac{5}{16}$ " HIGH

- No. 31-36—First Section, 36" wide, (2 uprights, 14 arms).
No. 31-236—Additional 36" wide, (1 upright, 7 arms).
No. 31-48—First Section, 48" wide, (2 uprights, 14 arms).
No. 31-248—Additional 48" wide, (1 upright, 7 arms).


SINGLE FACE 97 $\frac{5}{16}$ " HIGH

- No. 31-1036—First Section, 36" wide, (2 uprights, 14 arms).
No. 31-1236—Additional 36" wide, (1 upright, 7 arms).
No. 31-1048—First Section, 48" wide, (2 uprights, 14 arms).
No. 31-1248—Additional 48" wide, (1 upright, 7 arms).



Each section 97 $\frac{5}{16}$ " high x 36" wide.

VERTICAL BAR RACK



The Vertical Bar Rack keeps a limited supply of long parts close to the job. Long pieces stack vertically; shorter pieces are kept in the three pan shelves spaced at 21" intervals. Finished in Lyon Green enamel.

No. 86-11—36" wide, 24" deep (bottom), 84" high. Bottom pan is 36" wide, 6" deep, with 1 $\frac{1}{2}$ " high flange.



SHOP BOXES



STYLE "H"


Built for heavy loads from 75 to 125 lbs., and for hard, rough usage. Corners formed to give extra reinforcement. Tapered for efficient stacking. Fitted with shallow "V" shaped runners that support bottom of box and reduce friction on gravity conveyor.

STANDARD GAUGES AND SIZES

Number	Gauge	Width (Top)	Length (Top)	*Height
421F14	18	12"	18"	6"
421F15	18	12"	21"	6"

*Overall height including runners.

Other sizes may be secured if ordered in production quantities.




STYLE "R"

Box is particularly rigid when stacked because the inside rail extends around all four sides. Three piece construction. Corners are reinforced by forming over a corner band reinforcement spot welded and riveted in place. Cannot be fitted with runners.

STANDARD GAUGES AND SIZES

Number	Gauge	Width	Length	Height
440F11	16	10"	20"	8"

Other sizes may be secured if ordered in production quantities.



STYLE "RB"

A two-purpose stock container. It provides a strong stacking box for transportation from one operation to the next and may be stacked on the floor and used for regular stock storage. Open hopper end permits easy removal of stock. Front top rail is rounded for use as handle and support to keep box in alignment.

STANDARD GAUGES AND SIZES

Number	Gauge	Width	Length	Height
445F11	16	10"	20"	8"

Other sizes may be secured if ordered in production quantities.




NESTING PANS

For handling all kinds of parts safely and economically. Pans occupy little space when not in use. The "L" Pan is made complete from a single sheet of steel. Portions cut out and thrown away in making the average pan are folded into extra reinforcements to strengthen this exclusive Lyon product on the corners. Folds extend down the corners and, in addition to being welded, are clamped tightly under the hem. Four thicknesses of steel where hem overlaps corner braces.

STANDARD GAUGES AND SIZES

Number	Gauge	Width (Top)	Length (Top)	Height
410F16	16	11"	22"	6"
410F18	18	11"	22"	6"

Available in this one size only.



STYLE "O"

Style "O" Boxes are made to carry loads of 50 to 125 pounds and will withstand severe shop abuse. Box is of three piece construction with one piece forming bottom and two sides. Each end and corresponding handle are made in one piece and are riveted and welded in place for maximum strength. Runners are attached to both ends of the box with two rivets and fully support the bottom. Oval shape of runners reduces friction when box is dragged over the floor or handled on gravity conveyor.


STANDARD GAUGES AND SIZES

Number	Gauge	Width	Length	*Height
425F11	18	11 $\frac{3}{8}$ "	22"	7 $\frac{5}{8}$ "
425F12	18	11 $\frac{3}{8}$ "	15 $\frac{1}{2}$ "	4 $\frac{3}{4}$ "

*Overall height.


Other sizes may be secured if ordered in production quantities.

STEELART SHELVING




The simplicity of Lyon Steelart Shelving is illustrated in the sketch above—showing the few simple, well designed parts that are necessary to provide strong, efficient storage equipment. The advantages are obvious. A certain rack arrangement


of shelving may be ideal for present requirements. Later it may be desirable to add additional shelves, dividers, or even complete sections. You are assured by Lyon's 43 years' of service to customers that all new parts will fit perfectly with the old.



FIRST SECTION
Two uprights and shelves—with dividers if desired.



ADDITIONAL SECTION
One upright and shelves—with dividers if desired.



COMPLETE RACK

One first, or starting section and as many additional sections as may be required. One first and four additional sections illustrated. For actual overall width of Rack, add $1\frac{1}{8}$ " to first section, and $\frac{3}{8}$ " to each additional section.


LYON

STEELART SHELVING

A & B UPRIGHT: Uprights are made from specially rolled hard steel Tee $1\frac{1}{2}" \times 1\frac{1}{2}" \times \frac{1}{8}"$ punched on $1\frac{1}{2}"$ centers for adjustment of shelves. Two Tees (A) with necessary cross braces form an open upright. A partition sheet (B) bolted between two Tees forms a closed upright.

C & D SHELF: Only one type of shelf is required—used either for top, bottom or intermediate shelf. Each shelf is punched horizontally on 3" centers at front and rear for attachment of dividers. Shelf (C) is fitted with 1" wide band corner reinforcements (D) at each of the four corners. Shelf is flanged down $1\frac{1}{8}"$ at all four edges and back $\frac{1}{2}"$ for strength and rigidity. Reinforcements for both front and rear flanges of shelves are available.

E SHELF CLIP: As illustrated above, the shelf is attached by means of a compression clip at each



Cut-away Section of Lyon Steelart Shelving Showing Uprights, Shelf, Shelf Clip and Back.

of the four corners. These grip the shelf tightly to the upright in a manner that adds rigidity to the entire rack. Notice erection simplicity—bolt clips to uprights, put shelf in position, and drive down between clip and upright T.

F BACKS: Backs fit snugly to rack and are punched on $1\frac{1}{2}"$ centers for adjustment of shelves.

ACCESSORIES

DIVIDERS: Dividers can be quickly attached or removed at any time without disturbing any other parts. They are adjustable on 3" centers and are made in sizes to fit the full height of shelf opening, eliminating any possibility of contents getting into the next compartment. Front and rear vertical edges are reinforced with a roll formation for extra strength and stiffness.

LABELHOLDERS: Labelholders may be added to shelves on all rack assemblies. If desired, they must be ordered as extras (see page 27).

SWINGING DOORS: Double swinging doors are available for Lyon Steelart Shelving Racks when it is desirable to keep contents clean and safe. The doors latch at three points—top, bottom, and center. Flat key lock is extra and must be specified.

ERECTION: One advantage of Lyon Steelart Shelving is the speed and ease with which it can be erected—and the ease with which adjustments


are made. In erecting, clips are merely bolted to uprights and shelves driven into place. Backs, dividers, and labelholders may then be added.

FINISH: All shelving and accessories finished in durable Lyon Green baked enamel.


SIZES: Assembled units and parts shown are regular standard sizes that will meet practically every requirement to which this type of shelving is adapted. If you have any sizes or arrangements not illustrated consult the Lyon District Office.

ORDERING: In ordering complete racks, order by Rack Number, number of First and Additional Sections, and Size. In ordering parts list all items showing (1) Quantity (2) Descriptive Name (3) Listed Size. The best method to use in listing the parts required correctly is to make rough front elevation line drawing of complete racks and then count the number of uprights, shelves, and accessories required.


STEELART SHELVING



FIRST SECTION



ADDITIONAL SECTION



END ELEVATION

Rack No. 609-21

Skeleton, or open type, rack generally used for package or carton storage in stockrooms of retail stores, plants and offices. Rack consists of first, or starting section, and as many additional sections as are required. Necessary back cross braces regularly supplied—not an extra.

SIZE

- 36" wide, 12" deep, 84" high
- 36" wide, 15" deep, 84" high
- 36" wide, 18" deep, 84" high
- 36" wide, 24" deep, 84" high

Note: When ordering specify rack numbers, number of first and additional sections, and width, depth and height.


Rack No. 609-22

Same as Rack No. 609-21 except that closed uprights are used. Back of rack is open. Necessary back cross braces regularly supplied—not an extra.


SIZE

- 36" wide, 12" deep, 84" high
- 36" wide, 15" deep, 84" high
- 36" wide, 18" deep, 84" high
- 36" wide, 24" deep, 84" high

Note: When ordering specify rack numbers, number of first and additional sections, and width, depth and height.




FIRST SECTION



ADDITIONAL SECTION



UPRIGHT



FIRST SECTION



ADDITIONAL SECTION



END ELEVATION

Counter No. 187

Lyon Open Type Counters are used for packing, inspection, assembly work, etc. Heavy top plate will withstand hard use and abuse. Necessary cross braces are regularly supplied for backs of open type counters—not an extra.

SIZE

- No. 187½-C—36" wide, 24" deep, 36" high
- No. 187½-D—36" wide, 18" deep, 36" high
- No. 187-C —36" wide, 24" deep, 39" high
- No. 187-D —36" wide, 18" deep, 39" high



STEELART SHELVING


Rack No. 609-23

Furnished with closed uprights and back to provide separate bins. When two racks are placed back to back, only one back is required between racks.


SIZES

- 36" wide, 12" deep, 84" high
- 36" wide, 15" deep, 84" high
- 36" wide, 18" deep, 84" high
- 36" wide, 24" deep, 84" high

Note: When ordering specify rack number, number of first and additional sections and width, depth and height.




FIRST SECTION




ADDITIONAL SECTION




UPRIGHT



FIRST SECTION



ADDITIONAL SECTION



UPRIGHT

Rack No. 609-24

When separate compartments are required for material to be stored, shelves can be subdivided, as illustrated, with adjustable dividers. This rack has closed back and ends.

SIZES

- 36" wide, 12" deep, 84" high
- 36" wide, 15" deep, 84" high
- 36" wide, 18" deep, 84" high
- 36" wide, 24" deep, 84" high

Note: When ordering specify rack number, number of first and additional sections and width, depth and height.

Counter No. 188


Lyon closed type counters are useful as heavy duty service counters. Heavy top will stand up under continuous abuse. Two shelves provide large storage space. Back and end panels give additional strength and rigidity.

SIZES


- No. 188½-C—36" wide, 24" deep, 36" high.
- No. 188½-D—36" wide, 18" deep, 36" high.
- No. 188-C —36" wide, 24" deep, 39" high.
- No. 188-D —36" wide, 18" deep, 39" high.



FIRST SECTION




ADDITIONAL SECTION



UPRIGHT

STEELART SHELVING




Uprights (Closed)

Consists of two upright Tees and one partition sheet, both punched every 1½" for attachment of shelves. Partition sheet is off-set on both vertical edges to fit snugly around inside of Tee. Tees and partition sheet shipped separately and bolted together when rack is erected.

Sizes shown below are width x height.

SIZES

12x60	15x60	18x60	24x60
12x72	15x72	18x72	24x72
12x78	15x78	18x78	24x78
12x84	15x84	18x84	24x84
12x90	15x90	18x90	24x90
12x96	15x96	18x96	24x96
12x108	15x108	18x108	24x108
12x120	15x120	18x120	24x120



Uprights (Open)

Consist of two upright Tees with necessary cross braces. Like the Tees used on closed uprights, they are punched every 1½" for attachment of shelves on the inside of Tee to present a smooth surface on the exposed face.

Sizes shown below are width x height.

SIZES

12x60	15x60	18x60	24x60
12x72	15x72	18x72	24x72
12x78	15x78	18x78	24x78
12x84	15x84	18x84	24x84
12x90	15x90	18x90	24x90
12x96	15x96	18x96	24x96
12x108	15x108	18x108	24x108
12x120	15x120	18x120	24x120


Shelves



Shelves are flanged down and back at an angle on all edges for greater strength. Each shelf is furnished with four compression clips for attaching to upright Tees. Punched horizontally every 3" for the attachment of dividers. Label-holders not furnished with shelf.


SIZE

Width		Depth	Width		Depth
36	x	12	42	x	12
36	x	15	42	x	15
36	x	18	42	x	18
36	x	24	42	x	24



STEELART SHELVING

Labelholders



All shelves are punched for attachment of friction type holder that prevents labels from sliding under wrong item. Will accommodate $\frac{13}{16}$ " card or label. Labelholders are 3" shorter than listed width. Labelholders must be ordered as extra parts.

SIZE

36" x $\frac{7}{8}$ "

42" x $\frac{7}{8}$ "

Dividers




Flanged at right angles at top and bottom for attachment to shelf above and below, and reinforced at front and rear vertical edges with rolled edge.

Sizes shown below are depth x height.

SIZES

12x6	15x6	18x6	24x6
12x9	15x9	18x9	24x9
12x12	15x12	18x12	24x12
12x15	15x15	18x15	24x15
12x18	15x18	18x18	24x18




Shelf Reinforcements

Shelves may be strengthened by bolting reinforcements to front flange or to both front and rear flanges. Specify 36" or 42" length. Reinforcements are shipped loose.



Bottom view, showing reinforcement bolted to front flange of shelf.



Bottom view, showing reinforcements bolted to front and rear flanges of shelf.

Backs

For use on a single face rack the back is placed between rear Tees and shelf and bolted to shelves. When used between two racks placed back to back it is inserted between adjacent Tee faces. Back punched every $1\frac{1}{2}$ " for attachment of shelves.

Sizes shown below are width x height.


SIZES

36x60	36x96	42x84
36x72	36x108	42x90
36x78	36x120	42x96
36x84	42x60	42x108
36x90	42x72	42x120
	42x78	

COUNTER BACKS

SIZE


36" wide, 36" high.
36" wide, 39" high.



STEELART SHELVING

COUNTER UPRIGHTS

Closed



Consists of two upright Tees and one upright sheet, both punched every 1½" for attachment of shelves. Upright sheet is off-set on both vertical edges to fit smoothly around inside of Tee. Upright Tees for counters are rounded at the top corners, and the punching of the Tees and counter upright sheet is arranged to accommodate counter assembly.

SIZE

Depth Height
18" x 36"
24" x 36"

Depth Height
18" x 39"
24" x 39"

COUNTER UPRIGHTS


Open

Consists of two upright Tees with cross brace. Tees are exactly like those used on the closed uprights for counters, the tops being rounded and punching being arranged to accommodate counter assembly.


SIZE

Depth Height
18" x 36"
24" x 36"

Depth Height
18" x 39"
24" x 39"



DOUBLE DOORS



Used to keep contents clean, and safe from pilfering. Rigid, reinforced doors are securely fastened to rack and latch at three points — top, bottom and center. Can be fitted with flat key lock. Lock extra and must be specified.

Height of door is actually 3" shorter than listed height (height of rack). The use of a base strip below door is recommended.

SIZE

36" wide, 72" high
36" wide, 78" high
36" wide, 84" high

COUNTER TOPS



Counter Top

End Finishing Strip

A heavy steel top with a smooth working surface free from bolt heads or holes. Ends exposed, present a finished appearance.

SIZES

36" wide, 18" deep
36" wide, 24" deep

End Finishing Strips

Optional End Finishing Strips provide full finished ends for Counter Tops, adding to the appearance.

Two Sizes: 18" deep and 24" deep.

BASE STRIPS

Used to fill in space below bottom shelf. Improves appearance, prevents dirt from accumulating under rack. Fastened to rack with sliding clips for easy removal.


SIZE

36" wide x 3" high 42" wide x 3" high




PARTS AND SUPPLY BINS

All Bins Finished in Lyon Green Baked Enamel




No. 605

7 openings — 36" x 12" x 12". This is the most adaptable of all bin units. Ideal for nearly all parts and merchandise display.




No. 614

14 openings — 36" x 12" x 6". Long parts merchandise and small flat items can be stored conveniently in this unit.




No. 602

36 openings — 32-9" x 12" x 9"; 4-9" x 12" x 12". For larger items, not in cartons, which must be kept separate.




No. 601

84 openings — 6" x 12" x 6". Especially adaptable for the storage of small size parts, bolts, nuts, and pins.




No. 620

108 openings — 102-6" x 12" x 4 1/2"; 6-6" x 12" x 7 1/2". For the many small parts that can be safely stored without boxes. Dividers can be adjusted on 1" centers.




No. 624

162 openings — 144-4" x 12" x 4 1/2"; 18-4" x 12" x 6". For storing a large variety of small parts in small quantities. Dividers can be adjusted on 1" centers to fit the stock.



No. 615

59 openings—9-4" x 12" x 6"; 12-6" x 12" x 4 1/2"; 1-24" x 12" x 6"; 3-12" x 12" x 12"; 18-4" x 12" x 4 1/2"; 8-6" x 12" x 6"; 4-9" x 12" x 9"; 2-18" x 12" x 7 1/2"; 2-18" x 12" x 18".



No. 616

Furnished with 102 "M" boxes. Each box is fitted with three adjustable dividers. Opening at bottom is 36" x 12" x 7 1/2". Especially designed for small quantities of small parts, nuts, bolts, washers, etc.


● Dividers in all Lyon Bins are adjustable horizon fasteners—no nuts, bolts, or tools required. All

● No. 959-11 Double Swinging Doors on a

tally on 1" centers using Lyon patented "Snap-in" Bins shown are 36" wide, 12" deep and 84" high. rigid frame are available for all Lyon Bins.



TOOL STORAGE




SE-1 (First Section) Consists of:

- 2 Closed Uprights 18" x 84"
- 6 Shelves 36" x 18"
- 1 Back 36" x 84"
- 1 Base Strip 36" x 13/4"
- 5 Labelholders 36" x 7/8"
- 5 Crosswise Dividers 18" x 9"
- 1 Crosswise Divider 18" x 12"
- 1 No. 10-1 Insert
- 1 No. 23-1218 Small Parts Drawer Unit

SE-1A (Additional Section)

Same as SE-1 minus one upright.




SE-2 (First Section) Consists of:

- 2 Closed Uprights 18" x 84"
- 7 Shelves 36" x 18"
- 1 Back 36" x 84"
- 1 Base Strip 36" x 13/4"
- 6 Labelholders 36" x 7/8"
- 12 Crosswise Dividers 18" x 6"
- 1 Crosswise Divider 18" x 12"
- 1 No. 11-2 Insert

SE-2A (Additional Section)

Same as SE-2 minus one upright.



SE-3 (First Section) Consists of:

- 2 Closed Uprights 18" x 84"
- 8 Shelves 36" x 18"
- 1 Back 36" x 84"
- 1 Base Strip 36" x 13/4"
- 7 Labelholders 36" x 7/8"
- 8 Crosswise Dividers 18" x 6"
- 5 1/2" Crosswise Dividers 18" x 1 1/2"
- 1 No. 12-3 Insert
- 1 No. 24-1818 Small Parts Drawer Unit

SE-3A (Additional Section)

Same as SE-3 minus one upright.


SHELVING: Lyon Commercial Shelving consists of uprights, shelves, dividers, and backs. Shelving may be fitted with specially designed tool storage equipment, as illustrated above, and described on the following pages.

INSERTS: Lyon Tool Storage Inserts provide

compact, accessible storage facilities for small tools and supplies. All are designed to fit in shelf opening 36" wide, 18" deep, and 39" high.

DRAWERS: Three Drawer Inserts, and several sizes of adjustable compartment shelf boxes will store very small tools, die sets, and supplies.

TOOL STORAGE




SE-4 (First Section) Consists of:

- 2 Closed Uprights 18" x 84"
- 8 Shelves 36" x 18"
- 1 Back 36" x 84"
- 1 Base Strip 36" x 1 3/4"
- 7 Labelholders 36" x 7/8"
- 12 Crosswise Dividers 18" x 6"
- 1 Crosswise Divider 18" x 12"
- 10 1 1/2" Crosswise Dividers 18" x 1 1/2"
- 1 No. 14-5 Insert

SE-4A (Additional Section)

Same as SE-4 minus one upright.




SE-5 (First Section) Consists of:

- 2 Closed Uprights 18" x 84"
- 9 Shelves 36" x 18"
- 1 Back 36" x 84"
- 1 Base Strip 36" x 1 3/4"
- 8 Labelholders 36" x 7/8"
- 11 Crosswise Dividers 18" x 6"
- 4 Box Guides 18" long
- 12 M E Boxes 5 5/8" x 17 1/2" x 4 9/16"
- 24 Box Dividers 5 5/8" x 4 9/16"
- 1 No. 15-6 Insert

SE-5A (Additional Section)

Same as SE-5 minus one upright.



SE-6 (First Section) Consists of:

- 2 Closed Uprights 18" x 84"
- 11 Shelves 36" x 18"
- 1 Back 36" x 84"
- 1 Base Strip 36" x 1 3/4"
- 10 Labelholders 36" x 7/8"
- 14 Crosswise Dividers 18" x 6"
- 6 Crosswise Dividers 18" x 9"
- 3 No. 66-16 Shelf Blocks
- 1 No. 25-2418 Small Parts Drawer Unit

SE-6A (Additional Section)

Same as SE-6 minus one upright.

SHELF STORAGE: For all types of tools, small dies and jigs, and miscellaneous items that cannot be stored in inserts.

ACCESSORY EQUIPMENT: Steel Swinging Doors, Counters, Bar Racks, Benches, Cabinets, Shop Desks and many other items that are neces-

sary for an efficiently operated Toolroom are illustrated and described elsewhere in this catalog. **FINISH:** Lyon Green baked enamel.

NOTE: WHEN TWO OR MORE SECTIONS ARE USED TO FORM A CONTINUOUS RACK, TWO UPRIGHTS ARE REQUIRED FOR THE FIRST SECTION AND ONLY ONE UPRIGHT FOR EACH ADDITIONAL SECTION.

STORAGE AND DISPLAY UNITS


FINISHED IN GREEN BAKED ENAMEL — SHIPPED SET UP



Sloping Front Unit
No. 10-1

Has 88 openings on 8 shelves. Shelf dividers can be adjusted horizontally every inch with "snap-in" fasteners — no tools required. Each shelf has a labelholder. Check hooks extra.


Size: $34\frac{1}{2}$ " wide, $17\frac{1}{2}$ " deep, $37\frac{5}{8}$ " high overall.



Sloping Shelf Unit
No. 11-2


Contains 108 sloping compartments on 8 shelves. Shelf edges turned up to form bin fronts. Dividers adjustable every inch. Check hooks extra.

Size: $34\frac{1}{2}$ " wide, $17\frac{1}{2}$ " deep, $37\frac{5}{8}$ " high—overall.



Sloping Front Display and
Storage Board
No. 15-6


Two $\frac{5}{8}$ " thick plywood panels superimposed on a steel frame. Top panel may be removed and drilled exact sizes desired or pegs or hooks inserted in it. Short labelholders may be attached with wood screws. Size: $34\frac{1}{2}$ " wide, $14\frac{3}{8}$ " deep, $37\frac{5}{8}$ " high.



Mounting Panel
No. 18-9

Panel can be used for display or storage of any parts or tools that can be hung on Tool Peg, No. 2741-190 or check hooks No. 92-13 and No. 2741-191. Panels may be hung on back or ends of racks, or fastened to wall or stock room partitions. Holes punched on 1" centers.

Size: $17\frac{1}{8}$ " wide, 42" high.



Pigeon Hole Unit
No. 12-3

Has 56 openings on seven shelves. Front edge of each shelf is turned up to form a bin front and provided with a labelholder. Dividers adjustable.

Size: $34\frac{1}{2}$ " wide, 9" deep, $37\frac{5}{8}$ " high—overall.



Six Shelf Unit
No. 14-5


For drills, reamers, mandrels and arbors not over 17" long or 2" in diameter. 66 compartments on six shelves. Shelf edges form bin fronts. Check hooks extra.

Size: $34\frac{1}{2}$ " wide, 17" deep, $37\frac{5}{8}$ " high—overall.



Tool Ledge
No. 91-12

The No. 91-12 Tool Ledge is attached to the No. 18-9 Tool Panel with No. 2741-190 Tool Pegs. As illustrated, the Tool Ledge is convenient for storage of small tools which are used quite often and must be quickly accessible. Two Tool Pegs furnished with ledge. Size: 15" wide, $3\frac{1}{2}$ " deep.



Three shelf
blocks on a 36" shelf.


Removable Shelf Block No. 66-16

Consists of two pieces of $\frac{5}{8}$ " plywood bolted together with handle. Top piece can be removed and drilled sizes required. When ordering specify number of blocks required. Size: 11" wide, 17" deep.


SMALL PARTS DRAWER UNITS



24 Drawer Unit



18 Drawer Unit



12 Drawer Unit

No. 25-2418— $34\frac{3}{8}$ "W.x17"D.x10 $\frac{5}{8}$ "H.
Drawer— $5\frac{1}{2}$ "W., $16\frac{1}{8}$ "D., $1\frac{1}{8}$ "H.
Extra Drawer Dividers No. 81-13.

No. 25-2412— $34\frac{3}{8}$ "W.x11"D.x10 $\frac{5}{8}$ "H.
Drawer— $5\frac{1}{2}$ "W., $10\frac{1}{8}$ "D., $1\frac{1}{8}$ "H.
Extra Drawer Dividers No. 81-13.

No. 24-1818— $34\frac{3}{8}$ "W.x17"D.x10 $\frac{5}{8}$ "H.
Drawer— $5\frac{1}{2}$ "W., $16\frac{1}{8}$ "D., $2\frac{3}{8}$ "H.
Extra Drawer Dividers No. 81-12.


No. 24-1812— $34\frac{3}{8}$ "W.x11"D.x10 $\frac{5}{8}$ "H.
Drawer— $5\frac{1}{2}$ "W., $10\frac{1}{8}$ "D., $2\frac{3}{8}$ "H.
Extra Drawer Dividers No. 81-12.

●Drawers in above units
equipped with 2 dividers.

No. 23-1218— $34\frac{3}{8}$ "W.x17"D.x10 $\frac{5}{8}$ "H.
Drawer—11"W., $16\frac{1}{8}$ "D., $1\frac{1}{8}$ "H.
Extra Drawer Dividers No. 81-11.

●Drawers in above unit
equipped with 5 dividers.

Lyon Small Parts Drawer Units furnish the most convenient method of storing small quantities of very small parts. Finished in Lyon Green baked enamel. Exterior of drawer unit is finished case.




Style "M" Boxes used in drawer units are equipped with a combination handle — labelholder. Additional drawer dividers available.



Drawer Tray No. 85-15 has 7 round bottom compartments that permit easy selection of small parts. Fits only 18 and 24 drawer unit boxes in $16\frac{1}{8}$ " depth.



The No. 956 Small Parts Drawer Unit can be used on a bench, shelf or counter. Drawers are separated into three compartments, with 3 adjustable dividers each. Dividers and backs of compartments punched for labelholders.



ACCESSORIES

Check Hook No. 2741-181

Fits all $\frac{1}{8}$ " labelholders. Made of .045 diameter spring wire. Cadmium plated.





Check Hook No. 2741-191

For No. 18-9 Mounting Panel storage. Snaps into holes as illustrated. Quickly removed. Made of .059 diameter spring wire cadmium plated.

Panel Labelholder No. 92-13

Attaches to No. 18-9 Mounting Panel with sheet metal screw. Has hook at bottom for hanging up light tools and gauges.




Tool Peg No. 2741-190

For use with No. 18-9 Panel. Peg is 3" long and $\frac{1}{4}$ " in diameter. Two tangs and set screw hold peg rigid.

SPECIFICATIONS

$11\frac{1}{8}$ " wide, $11\frac{7}{8}$ " deep, $7\frac{3}{8}$ " high. Drawers approximately $2\frac{1}{2}$ " deep. Finished in Lyon Green. Shipped set up.

TOOL CRIB




The No. 626 Tool Crib provides 100 separate compartments for the storage of tools and parts.

Attractively finished in green baked enamel, the No. 626 unit may be used for display or storage purposes. Shelves, equipped with labelholders, are adjustable on $\frac{1}{2}$ " centers.


SIZE

No. 626 — 36" wide, 12" deep, 84" high.


STEEL FOLDING CHAIRS



Plain Steel



Metal Cane with
Tablet Arm



Wood Seat

For (1) employee recreation rooms, (2) foremen or employee meetings, (3) auxiliary classrooms and shop seating in schools, (4) cafeterias, or (5) sales meetings, Lyon Chairs fit the need. Wide, deep, curved seats and form-fitting backs assure complete comfort. Tablet arms that do not interfere with folding are available.

FIVE MODELS

Plain Steel (Enameled)
Metal Cane (Enameled)
Wood Seat—Steel Back
Upholstered Seat—Steel Back
Upholstered Seat and Back

STANDARD COLORS

Lyon Green
Flat Mahogany
Black
Flat Walnut
Taupe



STOCK CART

The Stock Handling Cart saves steps and material handling (1) as an assembly line feeder, (2) in stock rooms, (3) in the tool room handling light tools, (4) in shipping departments, and (5) in receiving departments, etc. Composition casters 5" x 1"—stationary on the front and swivel on the back — and steel push bar. Optional tray may be bolted to legs midway between top and bottom trays. Lyon Green enamel finish. Shipped set up.

SIZES

No. 2000-11 Stock Handling Cart 30" long, 16" wide, 32" high—overall.
No. 2001-21 Extra Center Tray.

DESK ACCESSORY

Desk surface is 16" wide and 14" deep with 5° slope.
No. 2385-11—16" wide, 14" deep.




SHOPROBES

Patent No. 2-202-427



The double face Shoprobe above will accommodate 20 persons in $12\frac{1}{2}$ square feet of floor space.

END ELEVATION SINGLE FACE



The single face Shoprobe will accommodate 10 persons in $6\frac{1}{4}$ square feet of floor area. As all compartments and hangers are on one side it may be used against the wall.

Rod is inserted through closed loops on the hangers so they cannot be removed after the Shoprobe is erected. Chain is run through sleeve of coat and locked with a padlock to the small compartment door—securing both the coat and contents of the compartment. (Padlocks not furnished).

Lock chain is extra and must be specified when ordering.

The Lyon Shoprobe is the newest and most practical clothes storage unit for use where floor space is limited and low cost is a prime requirement. It is especially suited to industries where personnel fluctuates. Finished in green baked enamel. Shipped set up with standards and base detached. Lock chains extra. Padlocks not furnished. Unless order specifies otherwise openings will be numbered from 1 up.

SPECIFICATIONS


No. 2065-12, Double face—20 person capacity; 50" wide, 36" deep, $75\frac{7}{8}$ " high.


No. 2065-11, Single face—10 person capacity; 50" wide, 18" deep, $75\frac{7}{8}$ " high.

ADVANTAGES OF THE LYON SHOPROBE

1. Low cost private compartment storage per person.
2. Full length coat hanging space.
3. Security of coats and belongings against petty thievery when coat hanger with lock chain and padlock is used.
4. 100% portability—easily moved from one department to another, or from building to building.
5. Requires minimum floor space per person accommodated.
6. Complete circulation of air around clothing.
7. Diamond perforated doors permit inspection of locked compartments.
8. Bottom base keeps clothes off the floor and out of the way of sweepers. Overshoes are not mixed or lost.
9. All compartment openings at convenient height—no stooping.

LOCK CHAIN No. 2073P12





STEEL LOCKERS

Single Tier

THE SINGLE TIER LOCKER is the most practical and widely used of all types of lockers. This is particularly true where space is available and where it is necessary to provide extended period storage for overcoats and other full length garments.

Lyon Lockers are designed primarily to give continued service through years of hard use. They are constructed from sturdy, standardized interchangeable parts and suitably ranged in types and sizes to amply care for the various requirements and uses.

Lockers 12" wide have three single prong and one double prong coat hook. Lockers over 12" wide have four single prong and one double prong hooks. Lockers equipped with shelf 8½" from the top. 18" deep lockers include coat rod—double prong ceiling hook is omitted. Doors are louvered at top and bottom for ventilation and fitted with a number plate.

SIZES

12x12x60	15x15x60	12x15x72	15x15x72
12x15x60	15x18x60	12x18x72	15x18x72
12x18x60			18x18x72

All sizes shown above are available in Single Row and Double Row arrangement.

See instructions at bottom of page 38, before ordering.


DOUBLE DOOR LOCKERS

24x18x72 Single Row

24x24x72 Single Row


24x18x72 Double Row

See instructions at bottom of page 38, before ordering.



LYON LOCKER FEATURES

1. Arc welded frame—vertical and horizontal members made of hard rolled angle steel.
2. Door stop prevents damage to adjacent locker.
3. Handle guard protects malleable iron trigger—prevents breakage and loose handles.



STEEL LOCKERS

Double Tier

The Double Tier Locker is economical as to space and cost, and will be found satisfactory for a great many uses, particularly for short period occupancy, and where long coats are not worn.

The same sturdy door frame used in the single tier locker is also used in the double tier. This feature provides the necessary smooth operation which is particularly desirable in the case of the double tier locker, where, because of the limited space, contents are frequently crowded, and hinges, door and frame considerably strained.



Lockers 12" wide have three single prong and one double prong coat hook. Lockers over 12" wide have four single prong and one double prong coat hook. Doors are louvered at top and bottom for ventilation and fitted with a number plate.

SIZES

12 x 12 x 30	12 x 15 x 36	12 x 15 x 42
12 x 12 x 36	15 x 15 x 36	15 x 15 x 42
	12 x 12 x 42	

All sizes shown above are available in Single Row and Double Row arrangement.

See instructions at bottom of page 38, before ordering.




LYON LOCKER FEATURES

1. 16 gauge full loop hinges with recessed pin for security and appearance.
2. Rubber silencers for quiet operation.
3. Annealed wire coat hooks will not break.



Multiple Tier Lockers



The Multiple Tier (Box) Locker has a wide variety of uses for the storage of individual belongings and supplies in classrooms, laboratories, gymnasiums, bowling alleys and vocational schools.

Lyon Multiple Tier Lockers have the same general construction as the Lyon Single and Double Tier Lockers. They can be secured in a wide range of sizes and equipped with either padlock attachment or built-in flat key locks. Locker doors have one-point latch. Box Lockers with padlock attachment have handle and catch to hold door closed. Door knob is eliminated when built-in flat key lock is furnished. All lockers have individual number plates.


SIZES (Per Opening)

Width	Depth	Height	Tiers
12"	12"	12"	5—66" high
12"	15"	12"	5—66" high
15"	15"	12"	5—66" high
15"	15"	15"	4—66" high


Overall height includes 6" legs.

BOWLING BALL STOP

Consists of steel strip formed in an inverted "V" and spot welded to locker bottom. Available in manufacturing schedule only. Extra—specify when ordering.



Single Row




Double Row




1 Wide
SINGLE ROW
5 Locker Openings
DOUBLE ROW
10 Locker Openings




2 Wide
SINGLE ROW
10 Locker Openings
DOUBLE ROW
20 Locker Openings



3 Wide
SINGLE ROW
15 Locker Openings
DOUBLE ROW
30 Locker Openings



4 Wide
SINGLE ROW
20 Locker Openings
DOUBLE ROW
40 Locker Openings



5 Wide
SINGLE ROW
25 Locker Openings
DOUBLE ROW
50 Locker Openings

READ THESE INSTRUCTIONS BEFORE ORDERING LOCKERS

GENERAL INSTRUCTIONS: Price shown in price list is per locker door opening and applies to lockers with standard equipment—without lock—shipped knocked down. Note: A Locker door opening is a single locker in a tier of 1, 2, 4, or 5 door openings high; 1, 2, 3, 4, or 5 units wide.

In ordering specify number of locker openings per section, and whether single row or double row. Set up sections cannot be shipped more than 5 feet long in single row, or 4 feet long in double row. In sections of two or more wide, one common side is used between two lockers.

FINISH: Lyon Green baked-on quality enamel, shipped from stock. School Brown finish is available without extra cost—shipment in manufacturing schedule.

NUMBER PLATES: Unless order specifies otherwise lockers will be numbered from 1 up.

LOCKS: Padlock attachment is a built-in part of Lyon door handle and is regular equipment whether or not built-in locks are furnished, except on Multiple Tier Lockers. Flat key lock with two keys extra and must be specified.

LYON STEEL EQUIPMENT IN USE BY VOCATIONAL SCHOOLS

Lyon Steel Shop and Tool Storage Equipment steps up efficiency in every department of vocational schools. Below is an index-chart showing typical school shops with listings of Lyon

Steel Equipment which practical school superintendents have approved for its safety factors, time-saving features, and all-round convenience to students and instructors.

PAGE	PRODUCT	Machine Shop	Automotive Shop	Drafting Room	Electrical Dept.	Plumbing Shop	Woodworking Shop	Printing Shop	Masonry Dept.	Foundry Dept.	Forge Shop	Beauty Culture Dept.	Domestic Science Dept.	Pattern Shop	Welding Shop	Vocational Class Rooms	Sheet Metal Shop	Tool Room	Stock Room
9	Drawing Table	x		x			x	x						x		x	x		
38	Multiple Tier (Box) Lockers	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x		x
10	Wood Working Bench	x	x		x	x	x	x						x		x	x		
15	Blueprint Cabinets	x	x	x	x	x	x	x	x	x	x			x	x	x	x		
4	Steel Work Benches	x	x		x	x	x	x	x	x	x			x	x	x	x	x	x
4	Portable Work Benches	x	x		x	x	x	x	x	x	x			x	x	x	x	x	x
24	Steel Shelving	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
2	Bench Legs	x	x		x	x	x	x	x	x	x		x	x	x	x	x	x	x
30	Tool Storage Racks	x	x		x	x	x		x	x	x			x	x	x	x	x	x
32	Tool Storage Inserts	x	x		x	x	x		x	x	x			x	x	x	x	x	x
33	Tool Storage Accessories	x	x		x	x	x		x	x	x			x	x	x	x	x	x
33	Tool Crib	x	x		x	x	x		x	x	x			x	x	x	x	x	x
33	Small Parts Drawer Units	x	x		x	x	x	x			x	x	x	x		x	x	x	x
19	Sorting Rack	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
17	Steel Stools	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
12	Tool Stands	x	x		x	x	x	x	x	x	x			x	x	x	x		
12	Tool Toters	x	x		x	x	x	x	x	x	x			x	x	x	x		
8	Assembler's Bench Bin	x	x		x	x	x	x						x	x	x		x	x
20	Bar Racks	x	x		x	x	x				x			x	x	x	x	x	x
11	Utility Tables	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
36	Lockers { Single Tier Double Tier	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
14	Cabinets { Storage Wardrobe	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
13	Tool Cabinets	x	x		x	x	x	x	x	x	x			x	x	x	x		
34	Folding Chairs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
6	Drawer Units	x	x		x	x	x	x	x	x	x			x	x	x	x	x	x
7	Arc Welding Bench		x							x	x				x	x			
7	Gas Welding Bench		x							x	x				x	x			
11	Sheet Metal Work Bench	x	x			x								x		x	x		
13	Machine Tool Cabinet	x	x		x	x	x	x	x	x	x			x	x	x	x	x	
18	Steel Shop Desks	x	x		x	x	x	x	x	x	x			x	x	x	x	x	x
29	Steel Bins	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
35	Shoprobe	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x



TABLE OF CONTENTS

Adjustable Sorting Rack.....	19	Chairs, Folding	34	Shop Desks	18
Arc Welding Bench.....	7	Combination Cabinets	14	Shoprobe	35
Assembler's Bench Bin.....	8	Crib, Tool	33	Single Tier Lockers	36
Bar Racks	20	Desks		Small Parts Drawer Units.....	33
Bench Accessories	5	Cabinet	18	Sorting Rack, Adjustable.....	19
Bench Bin, Assembler's.....	8	Portable	19	Stacking Boxes	21
Bench Drawers	6	Shop	18	Stands, Tool	12
Bench Legs	2	Wall	19	Stock Cart	34
Bench Risers	4	Drawer Units	6	Stools	17
Benches		Drawers, Bench	6	Stool Accessories	17
Arc Welding	7	Drawing Table	9	Storage Cabinets	14
Gas Welding	7	Double Tier Lockers.....	37	Storage Equipment	30
Portable	4	Folding Chairs	34	Tables	
Sheet Metal Work	11	Gas Welding Bench.....	7	Drawing	9
Steel	4	Hanging Tool Cabinet.....	13	Utility	11
Wood Working	10	Janitor's Cabinet	14	Tool Boxes	8
Work	4	Legs, Bench	2	Tool Cabinets	13
Bins, Steel	29	Lockers		Tool Cribs	33
Boxes		Double Tier	37	Tool Stands	12
Shop	21	Multiple Tier	38	Tool Storage Equipment.....	30
Stacking	21	Shoprobe	35	Tool Toters	12
Tool	8	Single Tier	36	Tool Trays	8
Tote	21	Machine Tool Cabinets.....	13	Tote Boxes	21
Blueprint Cabinets	15	Map Cabinets	15	Toters, Tool	12
Cabinets		Multiple Tier Lockers.....	38	Trays, Tool	8
Blueprint	15	Nesting Pans	21	Utility Cabinets	15
Chart	15	Pans, Nesting	21	Utility Tables	11
Combination	14	Photograph Cabinets	15	Wall Desks	19
Desk	18	Portable Desks	19	Wardrobe Cabinets	14
Hanging Tool	13	Portable Work Benches.....	4	Welding Benches	
Janitor's	14	Rack, Sorting	19	Arc	7
Machine Tool	13	Racks, Bar	20	Gas	7
Map	15	Risers, Bench	4	Wood Working Bench.....	10
Photograph	15	Sheet Metal Work Bench.....	11	Work Benches	
Shelves	14	Shelves, Cabinet	14	Portable	4
Storage	14	Shelving	22	Sheet Metal	11
Tool	13	Shelving Accessories	26	Steel	4
Utility	15	Shop Boxes	21	Welding	7
Wardrobe	14			Wood Working	10
Cart, Stock Handling.....	34				

Due to the National Emergency we may find it necessary to furnish suitable substitutes for certain "critical" materials used in these products.

LYON METAL PRODUCTS, INCORPORATED

General Offices: AURORA, ILLINOIS

BULLETIN 331-G

M-K-5-44

PRINTED IN U. S. A.